



Badger Fire Protection

SAFETY DATA SHEET

Karbaloy

(Fire Extinguishing Agent Pressurized and Non-pressurized)

1. IDENTIFICATION

Product Name	Karbaloy (Fire Extinguishing Agent, Pressurized and Non-pressurized)
Other Names	Potassium Carbonate, Range Guard System Wet Chemical
Recommended use of the chemical and restrictions on use	
Identified uses	Fire Extinguishing Agent
Restrictions on use	Do not use on electrically energized equipment. Consult applicable fire protection codes.
Company Identification	Badger Fire Protection 944 Glenwood Station Lane, Suite 303 Charlottesville, VA 22901 USA
Customer Information Number	(434)-964-3200
Emergency Telephone Number	
CHEMTREC Number	(800) 424-9300 (703) 527-3887 (International)
Issue Date	October 1, 2015
Supersedes Date	April 10, 2015

Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2. HAZARD IDENTIFICATION

This SDS covers the product listed above as sold in pressurized and non-pressurized containers. GHS classifications for both forms are listed below.

GHS Classification – Pressurized

Hazard Classification

Serious eye damage/eye irritation: Category 2A
Specific Target Organ Toxicity (STOT) – single exposure: Category 3
Gas under pressure – Compressed gas

Label Elements

Hazard Symbols



Signal Word: Warning



Badger Fire Protection

SAFETY DATA SHEET

Karbaly (Fire Extinguishing Agent Pressurized and Non-pressurized)

2. HAZARD IDENTIFICATION

Hazard Statements

Causes serious eye irritation.
May cause respiratory irritation.
Contents under pressure; may explode if heated.

Precautionary Statements

Prevention

Wash hands thoroughly after handling.
Wear eye protection/face protection.
Avoid breathing mists or spray.
Use only outdoors or in a well-ventilated area.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists, get medical advice/attention.
If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing.
Call a poison center or doctor if you feel unwell.

Storage

Store locked up.
Protect from sunlight and store in well-ventilated place.
Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local regulation.

GHS Classification: Non - pressurized

Hazard Classification

Serious eye damage/eye irritation: Category 2A
Specific Target Organ Toxicity (STOT) – single exposure: Category 3

Label Elements

Hazard Symbols



Signal Word: Warning

Hazard Statements

Causes serious eye irritation.
May cause respiratory irritation.



Badger Fire Protection

SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized
and Non-pressurized)

2. HAZARD IDENTIFICATION

Precautionary Statements

Prevention

Wash hands thoroughly after handling.
Wear eye protection/face protection.
Avoid breathing mists or spray.
Use only outdoors or in a well-ventilated area.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists, get medical advice/attention.
If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing.
Call a poison center or doctor if you feel unwell.

Storage

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents/container in accordance with local regulation.

Other Hazards

Possible electrocution hazard if used on electrically energized equipment.

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity	0%
Acute dermal toxicity	0%
Acute inhalation toxicity	0%
Acute aquatic toxicity	0%

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a mixture.

Component	CAS Number	Concentration
Water	7732-18-5	50 – 60%
Potassium Carbonate	584-08-7	40 – 50%

Note: Pressurized product uses nitrogen as the expellant.

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.



Badger Fire Protection

SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized and Non-pressurized)

4. FIRST- AID MEASURES

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

Indication of immediate medical attention and special treatment needed

Notes to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved. Keep pressurized containers and surroundings cool with water spray as they may rupture or burst in the heat of a fire.

Specific hazards arising from the chemical

Pressurized containers may explode in heat of fire.

Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact. Remove leaking container to a safe place. Ventilate the area.

Environmental Precautions

Prevent large quantities of the material from entering drains or watercourses.

Methods and materials for containment and cleaning up

Contain and absorb using appropriate inert material and transfer into suitable containers for recovery or disposal.



Badger Fire Protection

SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized and Non-pressurized)

7. HANDLING AND STORAGE

Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

Conditions for safe storage

Pressurized containers should be properly stored and secured to prevent falling or being knocked over. Do not drag, slide or pressurized containers. Do not drop pressurized containers or permit them to strike against each other. Never apply flame or localized heat directly to any part of the pressurized or plastic container. Store pressurized and plastic containers away from high heat sources. Storage area should be: - cool - dry - well ventilated - under cover - out of direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Potassium Carbonate

None assigned.

Appropriate engineering controls

Use with adequate ventilation. There should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

Individual protection measures

Respiratory Protection

Respiratory protection not normally required. In oxygen deficient atmospheres, use a self contained breathing apparatus, as an air purifying respirator will not provide protection.

Skin Protection

Gloves

Eye/Face Protection

Chemical goggles or safety glasses with side shields.

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Agent - Karbaly

Appearance

Physical State	Liquid
Color	Clear
Odor	Odorless
Odor Threshold	No data available
pH	>11
Specific Gravity	~1.4
Boiling Range/Point (°C/F)	108.9°C/228°F
Melting Point (°C/F)	No data available
Flash Point (PMCC) (°C/F)	Not flammable
Vapor Pressure	No data available



Badger Fire Protection

SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized and Non-pressurized)

9. PHYSICAL AND CHEMICAL PROPERTIES

Evaporation Rate (BuAc=1)	No data available
Solubility in Water	Soluble
Vapor Density (Air = 1)	Not applicable
VOC (g/l)	None
VOC (%)	None
Partition coefficient (n-octanol/water)	No data available
Viscosity	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Upper explosive limit	No data available
Lower explosive limit	No data available
Flammability (solid, gas)	Not applicable

Expellant - Nitrogen

Appearance	
Physical State	Compressed gas
Color	Colorless
Odor	None
Odor Threshold	No data available
pH	Not applicable
Specific Gravity	0.075 lb/ft ³ @ 70°F as vapor
Boiling Range/Point (°C/F)	-196°C/-321 °F
Melting Point (°C/F)	No data available
Flash Point (°C/F)	Not flammable
Vapor Pressure	No data available
Evaporation Rate (BuAc=1)	No data available
Solubility in Water	No data available
Vapor Density (Air = 1)	Not applicable
VOC (g/l)	None
VOC (%)	None
Partition coefficient (n-octanol/water)	No data available
Viscosity	Not applicable
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Upper explosive limit	Not explosive
Lower explosive limit	Not explosive
Flammability (solid, gas)	Not flammable

10. STABILITY AND REACTIVITY

Reactivity

Pressurized containers may rupture or explode if exposed to heat.

Chemical Stability

Stable under normal conditions.



Badger Fire Protection

SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized
and Non-pressurized)

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Exposure to direct sunlight - contact with incompatible materials

Incompatible Materials

Acids - ammonium compounds - metals - water reactive materials

Hazardous Decomposition Products

Oxides of carbon

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Potassium Carbonate

Oral LD50 (Rat) >2000 mg/kg

Dermal LD50 (Rabbit) >2000mg/kg

Inhalation LC50 (Rat) >4.96 mg/l

Nitrogen

Simple asphyxiant

Specific Target Organ Toxicity (STOT) – single exposure

Potassium Carbonate: Inhalation can cause respiratory irritation.

Nitrogen: Exposure to nitrogen gas at high concentrations can cause suffocation by reducing oxygen available for breathing. Breathing very high concentrations can cause dizziness, shortness of breath, unconsciousness or asphyxiation.

Specific Target Organ Toxicity (STOT) – repeat exposure

Potassium Carbonate: No relevant studies identified.

Serious Eye damage/Irritation

Potassium Carbonate: Irritating to eyes in animal studies.

Skin Corrosion/Irritation

Karbaly: Slightly irritating (Primary Dermal Irritation Study)

Respiratory or Skin Sensitization

Available data indicates this product is not expected to cause skin sensitization.

Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

Germ Cell Mutagenicity

Available data indicates this product is not expected to be mutagenic.



Badger Fire Protection

SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized and Non-pressurized)

11. TOXICOLOGICAL INFORMATION

Reproductive Toxicity

Potassium Carbonate: No relevant studies identified.

Aspiration Hazard

Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Potassium Carbonate

LC50 Bluegill sunfish 230mg/l 96h

EC50 Daphnia pulex 200mg/l 48h

Mobility in soil

No relevant studies identified.

Persistence/Degradability

No relevant studies identified.

Bioaccumulative Potential

No relevant studies identified.

Other adverse effects

No relevant studies identified.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of container in accordance with all applicable local and national regulations. Do not cut, puncture or weld on or near to the pressurized container. If spilled, expellant will vaporize to the atmosphere.

14. TRANSPORT INFORMATION

Safety Data Sheet information is intended to address a specific material and not various forms or states of containment.

Special Precautions for Shipping:

Individuals must be certified as Hazardous Material Shipper for all transportation modes.

Pressurized Fire Extinguishers are considered a hazardous material by the US Department of Transportation and Transport Canada.

DOT CFR 172.101 Data

Fire extinguishers, 2.2, UN1044

UN Proper Shipping Name

Fire extinguishers

UN Class

(2.2)

UN Number

UN1044

UN Packaging Group

Not applicable



SAFETY DATA SHEET
Karbaly
(Fire Extinguishing Agent Pressurized
and Non-pressurized)

14. TRANSPORT INFORMATION

**Classification for AIR
Transportation (IATA)**
**Classification for Water
Transport IMDG**

Consult current IATA Regulations prior to shipping by air.

Consult current IMDG Regulations prior to shipping by water.

When shipping via ground, portable fire extinguishers pressurized to less than 241 psi and of less than 1100 cubic inches in size meet the requirements of "Limited Quantity" as referenced in 49 CFR 173.309 (2010). There is no limited quantity designation for fire extinguishers when shipped by air or water.

This section is believed to be accurate at the time of preparation. It is not intended to be a complete statement or summary of the applicable laws, rules, or hazardous material regulations, and is subject to change. Users have the responsibility to confirm compliance with all laws, rules, and hazardous material regulations in effect at the time of shipping.

15. REGULATORY INFORMATION

United States TSCA Inventory

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance Inventory.

Canada DSL Inventory

All ingredients in this product are listed on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL) or are exempt from listing.

SARA Title III Sect. 311/312 Categorization: Pressurized

Immediate (Acute) Health Hazard, Pressure hazard

SARA Title III Sect. 311/312 Categorization: Non-pressurized

Immediate (Acute) Health Hazard

SARA Title III Sect. 313

This product does not contain any chemicals that are listed in Section 313 at or above de minimis concentrations.

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Health - 2

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

HMIS Ratings

HMIS Code for Health - 2

HMIS Code for Flammability - 0

HMIS Code for Physical Hazard - 0

HMIS Code for Personal Protection - See Section 8

*Chronic



SAFETY DATA SHEET

Karbaly

(Fire Extinguishing Agent Pressurized and Non-pressurized)

16. OTHER INFORMATION

Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS#: Chemical Abstracts Service Number

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: October 1, 2015

Replaces: April 10, 2015

Changes made: Update to Section 14.

Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.

Prepared By:

EnviroNet LLC.

The information and recommendations presented in this SDS are based on sources believed to be accurate. Badger Fire Protection assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.
